



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

PUBLIC HEALTH REPORTS

ISSUED WEEKLY

BY THE

UNITED STATES PUBLIC HEALTH SERVICE

CONTAINING INFORMATION OF THE CURRENT
PREVALENCE OF DISEASE, THE OCCURRENCE
OF EPIDEMICS, SANITARY LEGISLATION, AND
RELATED SUBJECTS

VOLUME 32

NUMBER 9

MARCH 2, 1917



WASHINGTON
GOVERNMENT PRINTING OFFICE
1917

UNITED STATES PUBLIC HEALTH SERVICE.

RUPERT BLUE, *Surgeon General*.

DIVISION OF SANITARY REPORTS AND STATISTICS.

Asst. Surg. Gen. JOHN W. TRASK, *Chief of Division*.

The PUBLIC HEALTH REPORTS are issued weekly by the United States Public Health Service through its Division of Sanitary Reports and Statistics, pursuant to acts of Congress approved February 15, 1893, and August 14, 1912.

They contain: (1) Current information of the prevalence and geographic distribution of preventable diseases in the United States in so far as data are obtainable, and of typhus fever, cholera, plague, yellow fever, smallpox, and other communicable diseases throughout the world. (2) Sanitary legislation, including court decisions on matters relating to public-health administration and the laws and regulations being enacted or adopted by State and municipal authorities for the safeguarding of the public health. (3) Articles relating to the cause, prevention, or control of disease. (4) Other pertinent information regarding sanitation and the conservation of the public health.

The PUBLIC HEALTH REPORTS are intended primarily for distribution to health officers, members of boards or departments of health, and those directly or indirectly engaged in or connected with public health or sanitary work. Articles of general or special interest are issued as reprints from the PUBLIC HEALTH REPORTS or as supplements, and in these forms are available for general distribution to those desiring them.

Requests for and communications regarding the PUBLIC HEALTH REPORTS, reprints, or supplements should be addressed to the Surgeon General, United States Public Health Service, Washington, D. C.

ADDITIONAL COPIES

OF THIS PUBLICATION MAY BE PROCURED FROM
THE SUPERINTENDENT OF DOCUMENTS
GOVERNMENT PRINTING OFFICE
WASHINGTON, D. C.

AT
5 CENTS PER COPY
SUBSCRIPTION PRICE, \$2.00 PER YEAR

▽

CONTENTS.

	Page.
Measures to prevent typhus fever—Instructions issued to surgeons of the Chicago, Rock Island & Pacific Railway Co.....	345
Public health administration—With special reference to towns and rural communities.....	346
PREVALENCE OF DISEASE.	
United States:	
Reciprocal notification—	
Minnesota.....	352
Cerebrospinal meningitis—	
State reports for January, 1917.....	353
City reports for week ended February 10, 1917.....	353
Erysipelas—	
City reports for week ended February 10, 1917.....	353
Leprosy—	
California—San Diego.....	354
Wisconsin—Milwaukee.....	354
City reports for week ended February 10, 1917.....	354
Malaria—	
State reports for January, 1917.....	354
City reports for week ended February 10, 1917.....	355
Measles—	
Alaska—Ketchikan.....	355
Alaska—Southeastern section.....	355
California—Los Angeles.....	356
Washington—Seattle.....	356
Pellagra—	
State reports for January, 1917.....	356
City reports for week ended February 10, 1917.....	357
Plague—	
Louisiana—New Orleans and Westwego—Plague-infected rats found..	357
Pneumonia—	
City reports for week ended February 10, 1917.....	357
Poliomyelitis (infantile paralysis)—	
State reports for January, 1917.....	357
City reports for week ended February 10, 1917.....	358
Rabies in animals—	
City reports for week ended February 10, 1917.....	358
Smallpox—	
Minnesota.....	359
State reports for January, 1917.....	359
Miscellaneous State reports.....	361
City reports for week ended February 10, 1917.....	362
Tetanus—	
City reports for week ended February 10, 1917.....	362

United States—Continued.

Typhoid fever—	Page.
State reports for January, 1917.....	363
City reports for week ended February 10, 1917.....	365
Preventable diseases—	
Massachusetts report for week ended February 10, 1917.....	366
Diphtheria, measles, scarlet fever, and tuberculosis—	
State reports for January, 1917.....	366
City reports for week ended February 10, 1917.....	367

Foreign:

China—	
Examination of rats—Shanghai.....	370
Plague-infected rats—Hongkong.....	370
India—	
Cholera—Calcutta.....	370
Cholera, plague, smallpox, typhus fever, and yellow fever—	
Reports received during the week ended March 2, 1917—	
Cholera.....	370
Plague.....	371
Smallpox.....	371
Typhus fever.....	371
Reports received from December 30, 1916, to Feb. 23, 1917—	
Cholera.....	373
Plague.....	373
Smallpox.....	374
Typhus fever.....	375
Yellow fever.....	376